

## Low profile light bars:



Four Halogen rotator model with two diamond mirrors. Redesigned reflector with pre-focused halogen bulb for more light intensity. 110 RPM per rotating module. Relampable 50 watt equivalent intensity (35 watt halogen) bi-pin bulb. Shatter-resistant polycarbonate outer lens, amber warning color.

**0340855** 48" Wide (9404h)



## Amber Minibar

Shatter-resistant polycarbonate outer dome, non-corroding molded nylon base, low current consumption, easy to service with modular parts. 55 watt Halogen light, 8 amp draw. 17" x 4.75".



- 0340856** Permanent Mount (9200ha)
- 0340857** Magnetic Mount, Adapter & Cord (9200hma)
- 0340859** Replacement Bulb (2073-795)

## 360° Strobe LED Beacon with Flange Mound



100,000 Bulb Life, SAE Class II, Standard 360° LED beacon (nine 1 watt LEDs), flange mount, short lens.

- 10 Customer selectable flash patterns
- Synchronizing capabilities between 0340840 and 41
- Extremely low current draw
- Durable polycarbonate, Twist-Off Lens
- Features a durable and lightweight polycarbonate, universal flange base
- Completely encapsulated circuit for increased weather and shock resistance

- 0340840** Permanent Mount (255tsl)
- 0340841** Vacuum Magnetic Mount, Adapter & Cord (255tsvl)

## 360° Strobe Beacons



Versatile & powerful with 5.5" amber lens and computer designed optics. Universal anodized aluminum mounting base. Accommodates surface, pipe or magnetic mount options. Magnetic mount version includes metal disk with Velcro and cigarette-plug adapter with cord. Double flash.

- 0340850** 5.5" High (240cfda-u)
- 0340851** 4 1/2" H, Magnetic Mount (240smd-u)
- 0340852** Replacement Flash Tube (129)



## 360° 2-Color Minibar



Rugged aluminum 16" minibar with two 360° quad flash strobes, one wall mirror. 11.25 joules. Flash rate of 75 quad flash sequences per minute, per self-contained strobe @22 watts. 5.5" H x 16" L x 8.5" D.

**0340862** (9216s-boy)



## Selectable Double or Quad Flash

Field selectable flash pattern via internal jumper: standard quad flash or selectable double flash. Virgin Lexan, twist-off lens. Durable and lightweight polycarbonate plastic universal flange base. Completely encapsulated circuit for increased weather and shock resistance. Automatic low voltage shutdown below 9.5V DC. Operates automatically 12V DC - 48V DC. Amp draw: 2.0 Amps at 12V DC. Joule rating: 7 joule double flash; 10 joule quad flash. Flash rate: 80 DFPM/65 QFPM. 4-3/4" tall x 6-13/32" dia.

**0340860** (255ts)



# Safety Signs

## Vinyl Double-Sided Sign



Features a strong 1/4" poly rope sewn the entire length; all the stress goes to the rope, not on the sign, so there are no grommets to tear out. 12" high letters are screen printed black on interstate yellow. "Oversize Load" on one side & "Wide Load" on the other.

**0342016** 20" x 84"; 25/Ctn.

## Metal Double-Sided Sign



Light-weight metal alloy sign. Baked-on enamel finish, scratch resistant. Will not fade, crack, peel or rust. Custom-designed fold for easy storage. Black on interstate yellow. 12" letter height and 2" letter stroke.

**0342009** 15" x 6'

**0342010** 18" x 7' (PA Approved)

## Oversize Load (Ohio DOT)



Vinyl mesh open weave meets Ohio DOT regulations. 12" x 60" with 8" letters.

**0342003**

**J-3**

## Poly-Coated Fabric Highway Signs

Long lasting, durable and weatherproof, reinforced metal grommets, double stitched seams and Tyvek corners for extra strength. Attaches easily with shock cords. Black letters on interstate yellow background.



Cloth sleeve numbered 10, 12, 14 and 16 enables sign to address every Arkansas sign requirement. Letter height 12", stroke 2".

**0342001** Over Size XX Load, 18" x 7'; 25/Ctn.



**0342002** Over Size Load; 18" x 8', Michigan Approved; 25/Ctn.



**0342005** Danger - Wide Load Ahead, 18" x 4'; 25/Ctn.



**0342007** Danger - Wide Load Follows, 18" x 4'; 25/Ctn.

# Towing Safety Flags

## Red Flag & Clip Kit


Meets regulations. Two bright red ravel-proof nylon tricot flags and two plastic flag clips. Clear-bagged.

- 0341907** 18" x 18"
- 0341908** 24" x 24"




## Plastic Clips

- 0341909** Each
- 0341904** Bag of 25; 40/Ctn.




## Red Flag

Red tricot nylon, plain edges. High level of reflectancy. In packs of 6. 240/Ctn.



- 0341911** 18" x 18"
- 0341912** 24" x 24"



## Flag & Staff

Nylon tricot flag mounted on heavy-duty 36" staff. Ideal for front of tow trucks where required. 24" x 24".

**0341905**

## Flag Holder

Galvanized steel, bolt-on mount. Thumb screw holds secure. All hardware included. 24/Ctn.

**0341906**



## Tarp Straps

Trucker's hard rubber snubbers with iodized S-hooks for superior resiliency and long life.

- 0342102** 15"; 50/Ctn.
- 0342103** 22"; 50/Ctn.
- 0342104** 31"; 50/Ctn.



## Shoe Covers

Better liquid & particulate barrier. Breathable, microporous film laminate. Passes NFPA 99 criteria for antistatic materials

**0345038** white, one-size, 200/case



## KleenGuard A20 Coveralls

Breathable Particle Protection Apparel



KleenGuard A20 Coveralls are made from Microforce Barrier SMS, a breathable fabric that provides improved barrier protection on submicron-sized particles for a perfect combination of protection and comfort.

The tough, durable cloth-like outer layer is an abrasion-resistant, spunbond polypropylene and the middle layer is an intricate web of microfibers that filter out light, water-based liquids and dry particulates. These white coveralls are ideal for maintenance and general clean-up work, including asbestos handling, lead abatement and fiberglass/cellulose insulation operations.



Zipper Front  
Elastic: Back, Wrists & Ankles

## Dust Mask

Nuisance Mask filters out many types of dust. Lightweight, easy to use. Single fixed strap. Adjustable metal nose band to ensure a secure seal and comfortable fit.

**0345055** white, one-size



KleenGuard A20 Coveralls			
Stock #	Color	Size	Case Qty
<b>0345030</b>	White	Medium	24
<b>0345031</b>	White	Large	24
<b>0345032</b>	White	X Large	24
<b>0345033</b>	White	2X Large	24
<b>0345034</b>	White	3X Large	20

KleenGuard Hooded A20 Coveralls			
Stock #	Color	Size	Case Qty
<b>0345041</b>	White	Large	24
<b>0345042</b>	White	X Large	24
<b>0345043</b>	White	2X Large	24
<b>0345044</b>	White	3X Large	20
<b>0345045</b>	White	4X Large	20

## All Leather Work Gloves

All Leather Work Gloves

- Front, back & leather cuff
- Double leather palm
- Double Stitched
- Sold as pairs with hang-up display cards



0345016

## Leather Palm Work Gloves

Full leather palm with leather knuckle band & fingers. Split leather cowhide. Double stitched. Heavy canvas gauntlet cuff for added protection. Sold as pairs with hang-up display cards.



0345015

## Rubber Knee Pads

Rubber Knee Pads with Elastic Velcro® Straps. Quick and easy on/off with 2" wide single elastic Velcro straps.

0345010



## ABC Extinguishers

Multi-purpose. Non-toxic tri-class dry chemical agent (monoammonium phosphate) fights flammable liquids & electrical fires as well as wood, paper and cloth fires. Recommended for commercial use.

**Multi Purpose Home** UL rated:1-A:10-BC: Effective on wood, paper, plastic, flammable liquid and electrical fires. Mounting bracket with strap included.

0340508\* 2 lbs 9.3 oz.; 6/Ctn.

**Heavy Duty, Multi Purpose, for Home, Office or Business** Rechargeable (fits easily inside standard fire box-fire box not included). Exceeds NFPA 10 Minimum Code Requirements. UL rated 3-A:10-B:C for trash, wood, paper, liquids, electrical fires.

0340509\* 4 lbs 12oz.; 6/Ctn



## Smoke Alarm AC Powered

120VAC, ionization sensor, meets U.L. Standard 217. Interconnectable. Quick connect wiring harness and Fast Install mounting bracket. Outside diameter is 5-3/8" for better coverage of cutouts.



0141302 Electric (mfg# 9120)

0141305 Electric with 9V Battery Back-up in side drawer. (mfg# 9120B)

## BC Extinguisher

**Recreational.** Fights flammable liquids and electrical fires. UL rated 5-B:C. Large, easy to read gauge. Sodium bicarbonate. Rechargeable. Mounting bracket with strap included.

0340501\* 2 lbs.; 6/Ctn.

**Garage and Home.** UL rated 10-B:C. Fights grease, oil and electrical fires. Large, easy to read gauge. Includes Ergonomic handle and trigger. Sodium bicarbonate. Mounting bracket with strap included.

0340507\* 2 lbs, 7 oz.; 6/Ctn.



## Smoke Alarm Battery Powered

Hinged cover for easy battery replacement. Lighted Power & Alarm indicator. Silence feature. Tamper resistant locking pin. 10 year limited warranty



0141303 Carbon Zinc Battery FG250B

0141301 Lithium Battery - FG250LB

## Kitchen Fire Extinguishers



UL rated 5-BC made especially for the kitchen. White with white mounting cap and pop-up pressure indicator. Effective on oil, flammable liquids and electrical fires. Specialty quick release mounting cap. Non-corrosive. Easy to clean up.

0340510\* 1 lb 5.3 oz.; 6/Ctn.