

# Wall Plates, Switches and Receptacles



## Single Switch Plate

- 0222301** Ivory; 250/Ctn.
- 0222303** White; 250/Ctn.
- 0222302** Brown; 250/Ctn.

## Duplex Receptacle Plate



- 0222601** Ivory; 250/Ctn.
- 0222603** White; 250/Ctn.
- 0222602** Brown; 250/Ctn.

## Midi Switch Plate

For larger boxes: 3-1/8" W x 4-7/8" H.



- 0222304** Ivory; 100/Ctn.
- 0222295** White; 100/Ctn.
- 0222305** Brown; 100/Ctn.

## Midi Receptacle Plate

For larger outlet boxes: 3-1/8" W x 4-7/8" H for single gang. 100/Ctn.



- 0221203** Ivory
- 0221205** White
- 0221204** Brown

## Double Switch Plate

4-15/16" W x 4-7/8" H. 100/Ctn.



- 0222300** Ivory
- 0222299** White

## Duplex Receptacle

Parallel grounding 15 amp 125V. UL listed. 100/Ctn.



- 0221201** Ivory
- 0221200** White
- 0221202** Brown

## Toggle Switch

10-A-125V; 5-A-250V. 1" wide mounting strap. 100/Ctn.



- 0221701** Ivory
- 0221702** Brown
- 0221703** White

## Single Blank

- 0225005** White; 100/Ctn.
- 0225006** Brown; 100/Ctn.
- 0225007** Ivory; 100/Ctn.

## Double Blank

- 0225008** Brown; 50/Ctn.
- 0225009** White; 50/Ctn.
- 0225010** Ivory; 50/Ctn.



# Wall Plates, Switches and Receptacles

## Duplex Receptacle & Plates

Universal duplex. U-bend contact design for maximum conductivity and plug retention; exceeds UL standard for abrupt plug pull-out. UL498 listed.



**0222345** WDRU15IV; Ivory  
**0222347** WDRU15WT; White

- Side snaps assure proper alignment; quick to install. No screws to lose. Virtually unbreakable thermoplastic. Smooth surface for easy cleaning. Single gang.



- **0222346** WPRU1V, Ivory
- **0222348** WPRU1V, White

## Decorator Plates & Switches



Accommodates both decorator switches & receptacles. Furnished w/long screws. 100/Ctn.

**0222308** White  
**0222309** Ivory  
**0222310** Brown

- Touch-A-Matic single pole w/grounding terminal on E-Z wire device. Sealed against dust. High endurance.

- **0222311** Ivory; 100/Ctn.
- **0222294** White; 100/Ctn.



## Self-Contained Receptacle

Use 14-2/G or 12-2/G NM cables for in-line or end-of-line use. UL listed. 100/Ctn.



**0222326** White  
**0222322** Ivory  
**0222321** Brown

## Snap-On Plate



**0222355** White  
**0222356** Ivory  
**0222357** Brown

## Mounting Ear



- **0222325** Plastic Pawl (Wing)

## Self-Contained Switch

Use 14-2/G or 12-2/G NM cables for in-line or end-of-line use. UL listed. 100/Ctn.



- **0222327** White

# Self Contained Receptacle, Switch, and Plates

## Self-Contained Receptacle

Single pole in-line.  
15A/125V;  
100/Ctn.



- 0222313** Ivory, Plate & Switch
- 0222314** Brown
- 0222330** White

## Self-Contained Rocker Switch

Decorator quiet-touch. Single pole in-line. For sheet rock 5/16" to 1/2" thick or wall paneling 5/32" to 1/2" thick. Use only nonmetallic sheathed cable; types NM & MNC having copper conductors sizes #14 and #12 AWG. 15 amp/120 VAC; 100/Ctn.



- 0222315** Ivory
- 0222316** Brown
- 0222329** White

## Plates



**SINGLE, 100/Ctn**

- 0222318** Ivory
- 0222317** Brown
- 0222331** White

**DOUBLE, 100/Ctn**

- 0222324** Ivory
- 0222323** Brown
- 0222332** White

## Ground Fault Interrupter Receptacle w/Plate


Fits easily into standard surface flush boxes. Feed-through ready. UL listed. 15 amp 125V at receptacle 20 amp 125V feed-through. 10/Ctn.



- 0222889** White
- 0222891** Ivory

## Phone Jack

Surface mount, snap cover for neat appearance with pre-wired combination head screw terminals. For surface mount onto baseboards, walls and other flat surfaces. Self-tapping mounting screws and adhesive pad provided. 4 conductor in almond.



- 0222820** Phone Jack

## Weatherproof Male Motor Base

Three-wire outdoor wire receptacle with snap cover. Parallel grounding motor base. #999I.



- 0222815** 50/Ctn.

## Weatherproof Protective Plate

Weatherproofs any conventional or "U" ground duplex receptacle, duplex switch or combination switch/receptacle. Snaps shut with self-sealing rubber gaskets. Indestructible Lexan® polycarbonate. 50/Ctn.



- 0221400** Gray
- 0221405** White

## Foam Seals



- 0270221** Outlet. Box of 144
- 0270222** Switch. Box of 144